Index of Authors

ADAMS, BRIAN G. and MARRIE, THOMAS J. Hand carriage of aerobic Gram-negative rods by health care personnel, 23

ADAMS, BRIAN G. and MARRIE, THOMAS J. Hand carriage of aerobic Gram-negative rods may not be transient, 33

ADERIBIGBE, D. A. *see* PAUL, M. O.

AKACEM, O. *see* PUEL, J. M. L.

AL-CHALABY, Z. A. M. *see* HINTON, M.

ALLEN, VIVIEN *see* HINTON, M.

ANDERSON, M. J. The emerging story of a human parvovirus like agents, 1

ANDERSON, M. J. The role of interferon in the NK cell killing of virus infected target cells, 347

AOKI, F. Y. *see* TURNER, G. S.

ARGENT, S. *see* GRIFFITHS, P. D.

ARGENT, S. *see* GRINT, P. C. A.

ASHTON, D. G. *see* BAXBY, D

BAKER, B. F. *see* TOSOLINI, F. A.

BARLOW, C. G. *see* SCOTT, ELIZABETH

BARNETT, R. J. *see* SHEPHERD, A. J.

BAURIAUD, R. M. *see* PUEL, J. M. L.

BAXBY, D., ASHTON, D. G., JONES, D. M and THOMSETT, L. R. An outbreak of cowpox in captive cheetahs: virological and epidimiological studies, 365

BERNEY, S. I. *see* GRIFFITHS, P. D.

BINTA, GORETTE, M., TJABERG, T. B., NYAGA, P. N. and VALLAND, M. Market fish hygiene in Kenya, 47

BLOOMFIELD, SALLY F. *see* SCOTT, ELIZABETH

BOLTON, F. J., HINCHLIFFE, P. M., COATES, D. and ROBERTSON, L. A most probable number method for estimating small numbers of campylobacters in water, 185

BOUGHERMOUH, R. *see* PUEL, J. M. L.

BREWER, R. A. *see* CORBEL, M. J.

BURGESS, C. *see* MORGAN-CAPNER, P.

BUTLER, M. *see* TAYLOR, G. R.

CAMPBELL, CATHERINE *see* MADELEY, C. R.

CAMPOS, J. *see* SAEZ-NIETO, J. A.

CASAL, J. *see* SAEZ-NIETO, J. A.

CHAKRAVERTY, P., CUNNINGHAM, P. and PEREIRA, M. S. The return of the historic influenza A H1N1 virus and its impact on the population of the United Kingdom, 89

CHAU, P. Y. and TSANG, R. S. W. Vi serology in screening of typhoid carriers: improved specificity by detection of Vi antibodies by counterimmunoelectrophoresis, 261

CHIARAMONTE, M., TRIVELLO, R., RENZULLI, G., ZAMPIERI, L., FANECCO, A., FLOREANI, A. and NACCARATO, R. Hepatitis B virus infection in prisons, 53

CHICCA, A. *see* D'AMBROSIO, E.

COATES, D. *see* BOLTON, F. J.

COLLIER, L. H. and SCOTT, Q. J. A non-lethal test of the resistance of inbred mice to herpes simplex virus type 1, 335

COLLINS, C. H., YATES, M. D. and GRANGE, J. M. Subdivision of *Mycobacterium tuberculosis* into five variants for epidemiological purposes: methods and nomenclature, 235

COLMAN, G. *see* CRUICKSHANK, J. G.

COLTHORPE, DIANE *see* PEASE, PHYLLIS E.

CORBEL, M. J. and BREWER, R. A. Characterization of the major antigens of *Haemophilus equigenitals* (contagious equine metritis organism), 529

CRUICKSHANK, J. G., LIGHTFOOT, N. F., SUGARS, K. H., COLMAN, G., SIMMONS, M. D., TOLLIDAY, J. and OAKLEY, E. H. N. A large outbreak of streptococcal pyoderma in a military training establishment, 9
CUNNINGHAM, P. *see* CHAKRAVERTY, P.

D'AMBROSIO, E., DEL GROSSO, N., CHICCA, A. and MIDULLA, M. Neutralizing antibodies against 33 human adenoviruses in normal children in Rome, 155
DAVIES, MARILYN, J. *see* NETTLETON, P. F.
DEACON, S. P., LANGFORD, D. T., SHEPHERD, W. M. and KNIGHT, P. A. A comparative clinical study of Adsorbed Tetanus Vaccine and Adult-type Tetanus–Diphtheria Vaccine, 513
DEL GROSSO, N. *see* D'AMBROSIO, E.
DE NOOIJ, MARIANNE, P., VAN LEEUWEN, WIJNANDA J. and NOTERMANS, SERVE. Enterotoxin production by strains of *Staphylococcus aureus* isolated from clinical and non-clinical specimens with special reference to enterotoxin F and toxic shock syndrome, 499
DOWNIE, A. W. A tribute to, 353
DUNBELL, K. R. and WELLS, D. G. T. The pathogenicity of variola virus, 389
DUMBELL, K. R. *see* RONDLE, C. J. M.

EBRINGER, A. *see* PEASE, PHYLLIS, E.
ENGLAND, J. R. *see* PEASE, PHYLLIS, E.

FALLON, R. J. Legionella infections in Scotland, 447
FANECCO, A. *see* CHIARAMONTE, M.
FISHER-HOCH, S. *see* MORGAN-CAPNER, P.
FLOREANI, A. *see* CHIARAMONTE, M.
FURR, PATRICIA M. *see* TAYLOR-ROBINSON, D.

GARCIA-BARRENO, B. *see* SAEZ-NIETO, J. A.
GARCIA-TORNELL, T. *see* SAEZ-NIETO, J. A.
GEORGE, SUSAN M. *see* IMPEY, C. S.
GRANGE, J. M. *see* COLLINS, C. H.
GREAVES, J. H., SHEPHERD, D. S. and QUY, R. Field trials of second-generation anticoagulants against difenacoum-resistant Norway rat populations, 295
GRIFFITHS, P. D., BERNEY, S. I., ARGENT, S. and HEATH, R. B. Antibody against viruses in maternal and cord sera: specific antibody is concentrated on the fetal side of the circulation, 303
GRINT, P. C. A., ARGENT, S. and HEATH, R. B. The postnatal acquistion of factors which affect the influenza haemagglutination inhibition test, 329

HAFIZ, S. *see* MCENTEGART, M. G.
HALL, M. L. *see* SMITH, WILLIAMS H.
HARVEY, R. W. S and PRICE, T. H. A comparison of the R25 modification of Rappaport's enrichment medium with strontium chloride B for salmonella isolation from sewage polluted natural water, 111
HEATH, R. B. *see* GRIFFITHS, P. D.
HEATH, R. B. *see* GRINT, P. C. A.
HETHERINGTON, C. F. *see* TAYLOR-ROBINSON, D.
HINCHLIFFE, P. M. *see* BOLTON, F. J.
HINTON, M., AL-CHALABY, Z. A. M., ALLEN, VIVIEN and LINTON, A. H, The persistence of drug resistant *Escherichia coli* in the intestinal flora of healthy broiler chicks, 269
HOBSON, D., STEFANIDIS, D., REES, E. and TAIT, I. A. Effects of chloramphenicol on *Chlamydia trachomatis* infection in neonatal conjunctivitis and in McCOY cell cultures, 457

IMPEY, C. S., MEAD, G. C. and GEORGE, SUSAN M. Competitive exclusion of salmonellas from the chick caecum using a defined mixture of bacterial isolates from the caecal microflora of an adult bird, 479

JONES, D. M. *see* BAXBY, D.
JUNCOSA, T. *see* SAEZ-NIETO, J. A.

KINGHORN, G. R. *see* MCENTEGART, M. G.
KNIGHT, P. A. *see* LANGFORD, D. T.
KOLVIN, JENNIFER, L. and ROBERTS, DIANE. Studies on the growth of *Vibrio cholerae* biotype eltor and biotype classical in foods, 243
KURTZ, J. B. *see* LEE, T. W.

LAMIKANRA, A. *see* PAUL, M. O.
LANGFORD, D. T. *see* DEACON, S. P.
LATORRE, C. *see* SAEZ-NIETO, J. A.
LEE, A. *see* STARK, P. L.
LEE, T. W. and KURTZ, J. B. Human astrovirus serotypes, 539
LEFEVRE-WITIER, PH. *see* PUEL, J. M. L.
LEMAN, P. A. *see* SHEPHERD, A. J.
LIGHTFOOT, N. F. *see* CRUICKSHANK, J. G.
LINTON, A. H. *see* HINTON, M.
LITTLE, T. W. A., SWAN, C., THOMPSON, H. V. and WILESMITH, J. W. Bovine tuberculosis in domestic and wild mammals in an area of Dorset. II. The badger population, its ecology and tuberculosis status, 211
LITTLE, T. W. A., SWAN, C., THOMPSON, H. V. and WILESMITH, J. W. Bovine tuberculosis in domestic and wild mammals in an area of Dorset. III. The prevalence of tuberculosis in mammals other than badgers and cattle, 225
LITTLE, T. W. A. *see* WILESMITH, J. W.
LOPEZ-GALINDEZ, C. *see* SAEZ-NIETO, J. A.

MACKETT, M. *see* WILLIAMSON, J. D.
MACRAE, A. D. Laboratory diagnosis of smallpox: role of the Virus Reference Laboratory, Colindale, 1947–70, 399
MADELEY, C. R., SCOTT, T. M., CAMPBELL, CATHERINE and MILLER, J. Stool viruses in babies in Glasgow, 409
MARRIE, THOMAS J. *see* ADAMS, BRIAN G.
MCCARTHY, K. *see* TOSOLINI, F. A.
MCENTEGART, M. G., HAFIZ, S. and KINGHORN, G. R. *Haemophilus ducreyi* infections – time for reappraisal, 467
MEAD, G. C. *see* IMPEY, C. S.
MIDULLA, M. *see* D'AMBROSIO, E.
MILLER, J. *see* MADELEY, C. R.
MORGAN-CAPNER, P., BURGESS, C. and FISHER-HOCH, S. Radial haemolysis for the detection of rubella antibody in acute postnatal rubella, 311

NACCARATO, R. *see* CHIARAMONTE, M.
NETTLETON, P. F., DAVIES, MARILYN J. and RWEYEMAMU, M. M. Guanidine and heat sensitivity of foot-and-mouth disease virus (FMDV) strains, 129
NICHOLSON, K. G. *see* TURNER, G. S.
NORKRANS, G. and SVEDHEM, Å. Epidemiological aspects of *Campylobacter jejuni* enteritis, 163
NOTERMANS, SERVE *see* DE NOOIJ, MARIANNE P.
NYAGA, P. N. *see* BINTA, GORETTE M.

OAKLEY, E. H. N. *see* CRUICKSHANK, J. G.
OLIPHANT, JANET, C. *see* SMITH, G. R.
ORILLAC, M. S. *see* PUEL, J. M. L.

PAUL, M. O., ADERIBIGBE, D. A., SULE, C. Z. and LAMIKANRA, A. Antimicrobial sensitivity patterns of hospital and non-hospital strains of *Staphylococcus aureus* isolated from nasal carriers, 253
PEASE, PHYLLIS, E., TYLER, RUTH A., ENGLAND, J. R., COLTHORPE, DIANE and EBRINGER, A. An investigation into the properties of klebsiella strains isolated from ankylosing spondylitis patients, 119
PEREIRA, M. S. *see* CHAKRAVERTY, P.

PORTERFIELD, J. S. Immunological enhancement and the pathogenesis of dengue haemorrhagic fever, 355
PRICE, T. H. *see* HARVEY, R. W. S.
PUEL, J. M. L., ORILLAC, M. S., BAURIAUD, R. M., BOUGHERMOUH, R., AKACEM, O. and LEFEVRE-WITIER, PH. Occurrence of viruses in the Ahaggar (Algeria), 171

QUY, R. *see* GREAVES, J. H.

REES, E. *see* HOBSON, D.
RENZULLI, G. *see* CHIARAMONTE, M.
ROBERTS, DIANE. Factors contributing to outbreaks of food poisoning in England and Wales 1970–1979, 491
ROBERTS, DIANE *see* KOLVIN, JENNIFER L.
ROBERTSON, L. *see* BOLTON, F. J.
ROCKLIFF, S. *see* SMITH, J. L.
RONDLE, C. J. M. and DUMBELL, K. R. A poxvirus antigen associated with pathogenicity for rabbits, 383
ROWE, B. *see* SMITH, WILLIAMS H.
RWEYEMAMU, M. M. *see* NETTLETON, P. F.

SAEZ-NIETO, J. A., CAMPOS, J., LATORRE, C., JUNCOSA, T., SIERRA, M., GARCIA-TORNELL, T., GARCIA-BARRENO, B., LOPEZ-GALINDEZ, C. and CASAL, J. Prevalence of *Neisseria meningitidis* in family members of patients with meningococcal infection, 139
SCOTT, ELIZABETH, BLOOMFIELD, SALLY F. and BARLOW, C. G. An investigation of microbial contamination in the home, 279
SCOTT, Q. J. *see* COLLIER, L. H.
SCOTT, T. M. *see* MADELEY, C. R.
SHEPHERD, A. J., LEMAN, P. A. and BARNETT, R. J. Isolation of *Pasteurella pneumotropica* from rodents in South Africa, 79
SHEPHERD, D. S. *see* GREAVES, J. H.
SHEPHERD, W. M. *see* LANGFORD, D. T.
SIERRA, M. *see* SAEZ-NIETO, J. A.
SIMMONS, M. D. *see* CRUICKSHANK, J. G.
SKIRROW, M. B. Campylobacter enteritis – the first five years
SMITH, G. R. and OLIPHANT, JANET C. Some *in-vitro* characters of the subspecies of *Mycoplasma mycoides*, 521
SMITH, G. R., OLIPHANT, JANET C. and WHITE, W. R. *Clostridium botulinum* type C in the Mersey estuary, 507
SMITH, J. L. and ROCKLIFF, S. Rapid single-tube confirmatory test for *Escherichia coli*, 149
SMITH, WILLIAMS H., TUCKER, J. F., HALL, M. L. M. and ROWE, B. Salmonella organisms in garden fertilizers of animal origin, 125
STARK, P. L. and LEE, A. The bacterial colonization of the large bowel of pre-term low birth weight neonates, 59
STEFANIDIS, D. *see* HOBSON, D.
SULE, C. Z. *see* PAUL, M. O.
SUGARS, K. H. *see* CRUICKSHANK, J. G.
SVEDHEM, Å. *see* NORKRANS, G.
SWAN, C. *see* LITTLE, T. W.
SWAN, C. *see* WILESMITH, J. W.

TAIT, I. A. *see* HOBSON, D.
TAYLOR, G. R. and BUTLER, M. A comparison of the virucidal properties of chlorine, chlorine dioxide, bromine chloride and iodine, 321
TAYLOR-ROBINSON, D., FURR, PATRICIA M. and HETHERINGTON, C. F. The pathogenicity of a newly discovered human mycoplasma (strain G37) for the genital tract of marmosets, 449
THOMPSON, H. V. *see* LITTLE, T. W. A.
THOMPSON, H. V. *see* WILESMITH, J. W.
THOMSETT, L. R. *see* BAXBY, D.

TJABERG, T. B. *see* BINTA, GORETTE M.
TOLLIDAY, J. *see* CRUICKSHANK, J. G.
TOSOLINI, F. A., MCCARTHY, K. and BAKER, B. F. Studies of herpes virus latency in the sensory spinal ganglia of rabbits, 421
TRIVELLO, R. *see* CHIARAMONTE, M.
TSANG, R. S. W. *see* CHAU, P. Y.
TUCKER, J. F. *see* SMITH, WILLIAMS H.
TURNER, G. S., NICHOLSON, K. G., TYRRELL, D. A. J., AOKI, F. Y. Evaluation of a human diploid cell strain rabies vaccine: final report of a three year study of pre-exposure immunization, 101
TYLER, RUTH A. *see* PEASE, PHYLLIS E.
TYRRELL, D. A. J. *see* TURNER, G. S.

VALLAND, M. *see* BINTA, GORETTE M.
VAN LEEUWEN, WIJNANDA J. *see* DE NOOIJ, MARIANNE P.

WELLS, D. G. T. *see* DUMBELL, K. R.
WHITE, W. R. *see* SMITH, G. R.
WILESMITH, J. W., LITTLE, T. W. A., THOMPSON, H. V. and SWAN, C. Bovine tuberculosis in domestic and wild mammals in an area of Dorset. I. Tuberculosis in cattle, 195
WILESMITH, J. W. *see* LITTLE, T. W. A.
WILLIAMSON, J. D. and MACKETT, M. Arginine deprivation and the generation of white variants in cowpox virus-infected cell cultures, 373
WRIGHT, E. P. The occurrence of *Campylobacter jejuni* in dog faeces from a public park, 191
WRIGHT, R. C. A comparison of the levels of faecal indicator bacteria in water and human faeces in a rural area of a tropical developing country (Sierra Leone), 69

YATES, M. D. *see* COLLINS, C. H.

ZAMPIERI, L. *see* CHIARAMONTE, M.

Index of Subjects

Adenoviruses, neutralizing antibodies against 33 human, in normal children in Rome, 155
Aerobic Gram-negative rods, hand carriage of, by health care personnel, 23
Aerobic Gram-negative rods, hand carriage of, may not be transient, 33
Ankylosing spondylitis, an investigation into the properties of klebsiella strains isolated from, patients, 119
Astrovirus, human serotypes, 539

Bacterial colonization of the large bowel of pre-term low birth weight neonates, 59
Badger, bovine tuberculosis in domestic and wild mammals in an area of Dorset. II. The, population, its ecology and tuberculosis status, 211
Bovine tuberculosis in domestic and wild mammals in an area of Dorset. I. Tuberculosis in cattle, 195
Bovine tuberculosis in domestic and wild mammals in an area of Dorset. II. The badger population, it ecology and tuberculosis status, 211
Bovine tuberculosis in domestic and wild mammals in an area of Dorset. III. The prevalence of tuberculosis in mammals other than badgers and cattle, 225

Campylobacter enteritis–the first five years, 175
Campylobacter jejuni, epidemiological aspects of, enteritis, 163
Campylobacter jejuni, the occurrence of, in dog faeces from a public park, 191
Campylobacters, a most probable number method for estimating small numbers of, in water, 185
Cattle, bovine tuberculosis in domestic and wild mammals in an area of Dorset. I. Tuberculosis in, 195
Chicks, the persistence of drug resistant *Escherichia coli* in the intestinal flora of healthy broiler, 269
Chlamydia trachomatis, effects of chloramphenicol on, infection in neonatal conjunctivitis and in McCoy cell cultures, 457
Clostridium botulinum type C in the Mersey estuary, 507
Cord sera, antibody against viruses in maternal and: specific antibody is concentrated on the fetal side of the circulation, 303
Cowpox, an outbreak of, in captive cheetahs: virological and epidemiological studies, 365
Cowpox, arginine deprivation and the generation of white variants in, virus-infected cell cultures, 373

Dengue haemorrhagic fever, immunological enhancement and the pathogenesis of, 355
Disinfectants, a comparison of the virucidal properties of chlorine, chlorine dioxide, bromine chloride and iodine, 321

Enterotoxin production by strains of *Staphylococcus aureus* isolated from clinical and non-clinical specimens with special reference to enterotoxin F and toxic shock syndrome, 499
Escherichia coli, rapid single-tube confirmatory test for, 149
Escherichia coli, The persistence of drug resistant, in the intestinal flora of healthy broiler chicks, 269

Faecal indicator bacteria, a comparison of the levels of, in water and human faeces in a rural area of a tropical developing country (Sierra ¯eone), 69
Faecal viruses, occurrence of, in human stools in the Ahaggar (Algeria), 171
Fish, market, hygiene in Kenya, 47
Food poisoning, factors contributing to outbreaks of, in England and Wales 1970–1979, 491
Foot-and-mouth disease virus, guanidine and heat sensitivity of, (FMDV) strains, 129

Garden fertilizers, salmonella organisms in, of animal origin, 125

Haemophilus ducreyi infections – time for reappraisal, 467
Haemophilus equigenitalis, characterization of the major antigens of (contagious equine metritis organism), 529
Hand carriage of aerobic Gram-negative rods may not be transient, 33
Hand carriage of aerobic Gram-negative rods by health care personnel, 23
Hepatitis B virus infection in prisons, 53
Herpes simplex virus type 1, a non-lethal test of the resistance of inbred mice to, 335
Herpes virus, studies of, in the sensory spinal ganglia of rabbits, 421
Home, an investigation of microbial contamination in the, 279
Human faeces, a comparison of the levels of faecal indicator bacteria in water and, in a rural area of a tropical developing country (Sierra Leone), 69

Influenza haemagglutination inhibition test, the postnatal acquisition of factors which affect the, 329
Influenza A H1N1, the return of the historic, virus and its impact on the population of the United Kingdom, 89
Interferon, the role of, in the NK cell killing of virus-infected target cells, 347

Klebsiella, an investigation into the properties of, strains isolated from ankylosing spondylitis patients, 119

Large bowel, the bacterial colonization of the, of pre-term low birth weight neonates, 59
Legionella infections in Scotland, 439

Microbial contamination, an investigation of, in the home, 279
Military training establishment, a large out-break of streptococcal pyoderma in a, 9
Mycobacterium tuberculosis, subdivision of, into five variants of epidemiological purposes: methods and nomenclature, 235
Mycoplasma mycoides, some *in-vitro* characters of the subspecies of, 521
Mycoplasma, the pathogenicity of a newly discovered human, (strain G37) for the genital tract of marmosets, 449
Nasal carriage, antimicrobial sensitivity patterns of hospital and non-hospital strains of *Staphylococcus aureus* isolated from nasal carriers, 253
Neisseria meningitidis, prevalence of, in family members of patients with meningococcal infection, 139
Neonates, the bacterial colonization of the large bowel of pre-term low birth weight, 59

Pasteurella pneumotropica, isolation of, from rodents in South Africa, 79
Parovirus-like agent, the emerging story of a human, 1
Poxvirus, antigen associated with pathogenicity for rabbits, 383
Prisons, hepatitis B virus infection in, 53

Rabies vaccine, evaluation of a human diploid cell strain, final report of a three year study of pre-exposure immunization, 101
Radial haemolysis for the detection of rubella antibody in acute postnatal rubella, 311
Rappaport's enrichment medium, a comparison of the R25 modification of, with strontium chloride B for salmonella isolation from sewage polluted natural water, 111
Rodents, isolation of *Pasteurella pneumotropica* from, in South Africa, 79
Rodenticides, field trials of second-generation anticoagulants against difenacoum-resistant Norway rat populations, 295
Rubella, radial haemolysis for the detection of rubella antibody in acute postnatal, 311

Salmonella, a comparison of the R25 modification of Rappaport's enrichment medium with strontium chloride B for, isolation from sewage polluted natural water, 111
Salmonella organisms in garden fertilizers of animal origin, 125
Salmonellas, competitive exclusion of, from the chick caecum using a defined mixture of bacterial isolates from the caecal microflora of an adult bird, 479

Smallpox, laboratory diagnosis of: role of the Virus Reference Laboratory, Colindale, 1947–70, 399
Staphylococcus aureus, antimicrobial sensitivity patterns of hospital and non-hospital strains of, isolated from nasal carriers, 253
Staphylococcus aureus, enterotoxin producton by strains of, isolated from clinical and non-clinical specimens with special reference to enterotoxin F and toxic shock syndrome, 499
Stool viruses in babies in Glasgow, 409
Streptococcal pyoderma, a large outbreak of, in a military training establishment, 9

Tetanus–Diphtheria Vaccine, a comparative clinical study of Adsorbed Tetanus Vaccine and Adult-type, 513
Tetanus Vaccine, a comparative clinical study of Adsorbed, and Adult-type Tetanus-Diphtheria Vaccine, 513
Toxic shock syndrome, enterotoxin production by strains of *Staphylococcus aureus* isolated from clinical and non-clinical specimens with special reference to enterotoxin F and, 499
Typhoid, Vi serology in screening of, carriers: improved specificity by detection of Vi antibodies by counterimmunoelectrophoresis, 261

Variola, the pathogenicity of, virus, 389
Vibrio cholerae, studies on the growth of, biotype eltor and biotype classical in foods, 243

Water, a comparison of the levels of faecal indicator bacteria in, and human faeces in a rural area of a tropical developing country (Sierra Leone), 69
Water, a comparison of the R25 modification of Rappaport's enrichment medium with strontium chloride B for salmonella isolation from sewage polluted natural, 111
Water, a most probable number method for estimating small numbers of campylobacters in, 185